


Wall Lights

HOME & DECOR
by LOONARI



LOONARI



WALL LIGHTS



← JOIN US ON INSTAGRAM

Catalog current status: **October, 2024**

All measurements and technical data given in the catalogue are informational only. Due to the production process actual parameters of the products may slightly differ from information provided in the catalogue.

The most up-to-date data and actual technical information can be found on product cards, manuals or our website: **loonari.eu**

LOONARI sp. z o.o. reserves the right to amend presented materials and technical parameters without prior notice.

LOONARI sp. z o.o. is not liable for any printing mistake. All images in the catalogue are protected with authors' rights. Products and colours presented in the pictures are illustrative and may visually differ from actual products.

LOONARI mark has been registered at the EUIPO.

GET IN CONTACT

We're more than just a lamp provider – we're your partner in creating the perfect lighting. Starting with lighting design and continuing through the selection of the right products and control system, we will support you throughout the system set up and commissioning process.

If needed, you can count on our post-warranty service too. Tell us about your project: **hello@loonari.eu**

DISTRIBUTION



LOONARI sp. z o.o.
Podmiejska 7
Piekary Śląskie
PL41940, Poland
+48 539 982 819

CONTENTS PAGE

WALL LIGHTS

Tonda	12
Cube	13
Steno A	14
Steno B	15
Visso	16
Savi	18
Silla	20
Perlo	22
Lonna	24
Crosti Berra	26
Crosti Daime	27
Crosti Lacce RO Slim	28
Crosti Rusco	29
Crosti Perlo	30
Crosti Lonna	31



















TONDA

LOONARI | 14
wall lights - TONDA



1:4


 Lifetime 30 000 h	 Beam angle adjustable	 CRI 80	 Voltage 220-240 V	 Protection class IP54
---	---	--	--	---

Wattage	2 × 4,6 W	2 × 4,6 W
Colour temperature	3000 K	4000 K
Luminous flux	2 × 471 lm	2 × 471 lm
Dimming functionality	none	none
Colour	☐ ☒	☒

product code		
3000 K	☐	456962
	☒	456979
4000 K	☒	893036

CUBE

LOONARI | 15
wall lights - CUBE



1:4

 Lifetime
30 000 h

 Beam angle
adjustable

 CRI
80

 Voltage
220-240 V

 Protection class
IP54

Wattage	2 × 4,6 W	2 × 4,6 W
Colour temperature	3000 K	4000 K
Luminous flux	2 × 471 lm	2 × 471 lm
Dimming functionality	none	none
Colour	    	


product code

3000 K		451783
		451790
		451820
		451837
4000 K		891605

STENO A

LOONARI | 16

wall lights - STENO A



1:4

 Lifetime
30 000 h

 Beam angle
160°

 CRI
80

 Voltage
220-240 V

 Protection class
IP20

Wattage 2 × 4,6 W

Colour temperature 3000 K

Luminous flux 2 × 471 lm

Dimming functionality PC

Colour       




product code

	453992		454036
	454005		454043
	454012		454050
	454029		

STENO B

LOONARI | 17

wall lights – STENO B



1:4

 Lifetime
30 000 h

 Beam angle
160°

 CRI
80

 Voltage
220-240 V

 Protection class
IP20

Wattage 2 × 4,6 W

Colour temperature 3000 K

Luminous flux 2 × 471 lm

Dimming functionality PC

Colour       


product code

	454067		454104
	454074		454111
	454081		454128
	454098		



 Lifetime 30 000 h	 Beam angle 160°	 CRI 90	 Voltage 220-240 V	 Protection class IP20
---	---	--	--	---

Wattage	6 W	10 W	15 W	19 W	product code	
Colour temperature	3000 K	3000 K	3000 K	3000 K		
Luminous flux	150 lm	240 lm	360 lm	450 lm		
Dimming functionality	none	none	none	none		
Colour	●	●	●	●		
					S ● 707371	L ● 707395
					M ● 707388	XL ● 707401



SAVI

LOONARI | 20
wall lights - SAVI




1:4


 Lifetime 30 000 h	 Beam angle 160°	 CRI 90	 Voltage 220-240 V	 Protection class IP23
---	---	--	--	---


Wattage	6 W	10 W
Colour temperature	3000 K	3000 K
Luminous flux	180 lm	300 lm
Dimming functionality	none	none
Colour	●	●

product code		
6 W	●	707265
10 W	●	707272



1:5





SILLA


LOONARI | 24
wall lights - SILLA



 Lifetime 30 000 h	 Beam angle 160°	 CRI 90	 Voltage 220-240 V	 Protection class IP44
---	---	--	--	---

Wattage	6 W	10 W
Colour temperature	3000 K	3000 K
Luminous flux	300 lm	500 lm
Dimming functionality	none	none
Colour	●	●


product code		
6 W	●	707289
10 W	●	707296



PERLO

LOONARI | 26

wall lights - PERLO



1:4

 Lifetime
30 000 h

 Beam angle
160°

 CRI
90

 Voltage
220-240 V

 Protection class
IP44

Wattage 5 W
Colour temperature 3000 K
Luminous flux 350 lm
Dimming functionality none
Colour ●


product code
● 707319





LONNA

LOONARI | 29
wall lights - PERLO



1:4

 Lifetime 30 000 h	 Beam angle 160°	 CRI 90	 Voltage 220-240 V	 Protection class IP44
---	---	--	--	---

Wattage	5 W
Colour temperature	3000 K
Luminous flux	350 lm
Dimming functionality	none
Colour	●

product code

● 707340

CROSTI BERRA

LOONARI | 30
wall lights – CROSTI BERRA




Combine with:

Decorative ring ☐ ☒ ☐

Optical accessories

(honeycomb lens / linear lens / softening lens)



1:4

 Voltage
220-240 V

 Protection class
IP20

Maximum wattage 50 W

Light socket GU10

Colour ☐ ☒


product code

☐ 459307

☒ 459314

CROSTI DAIME

LOONARI | 31
wall lights – CROSTI DAIME



1:4

 Voltage
220-240 V

 Protection class
IP20

Maximum wattage 50 W

Light socket GU10

Colour ☐ ☒


product code

☐ 455330

☒ 455347

CROSTI LACCE RO SLIM

LOONARI | 32
wall lights – CROSTI LACCE RO SLIM



1:4

⚡ Voltage
220-240 V

🛡️ Protection class
IP20

Maximum wattage 50 W
Light socket GU10
Colour 


product code

 894781

CROSTI RUSCO

LOONARI | 33

wall lights – CROSTI RUSCO



1:4

Combine with:

Decorative ring ☐ ☒ ☐

Optical accessories

(honeycomb lens / linear lens / softening lens)

 Voltage
220-240 V

 Protection class
IP20

Maximum wattage **50 W**

Light socket **GU10**

Colour ☐ ☒


product code

☐ 459321

☒ 459338

CROSTI PERLO

LOONARI | 34
wall lights – CROSTI PERLO



1:4

 Voltage
220-240 V

 Protection class
IP44


Maximum wattage 50 W
Light socket GU10
Colour ☐ ☒

product code

☐ 707326
☒ 707333

CROSTI LONNA

LOONARI | 35
wall lights – CROSTI LONNA



1:4

 Voltage
220-240 V

 Protection class
IP44

Maximum wattage 50 W

Light socket GU10

Colour ☐ ☒

product code

☐ 707364

☒ 707357

